



*a global presence*

PALLET BLOCKS  
PACKAGING TIMBER



We are local – globally! Joint-ventures with our sales and production sites give us a global presence so that we can supply all customers on a just-in-time basis. Additionally, more than 40 years of experience in block production enable us to meet all our customers' requirements – perfectly.

### 1 Unterbernbach

Sawmill capacity: 930.000 solid cubic meter round logs/year  
Sawn timber products: 560.000 m<sup>3</sup>/year  
Kiln drying capacity: 400.000 m<sup>3</sup>/year  
Pallet blocks: 210.000 m<sup>3</sup>/year  
Pellets: 150.000 to/year  
Power plant: 80 Mio. kWh electricity



1



2

### 2 Uelzen

Sawmill capacity: 600.000 solid cubic meter round logs/year pine  
Sawn timber products: 360.000 m<sup>3</sup>/year  
Pallet blocks: 250.000 m<sup>3</sup>/year  
Power plant: 55 Mio. kWh electricity



3



4

### 3 Lauterbach

Sawmill capacity: 1.000.000 solid cubic meter round logs/year spruce and pine  
Sawn timber products: 600.000 m<sup>3</sup>/year  
Kiln drying capacity: 300.000 m<sup>3</sup>/year  
Pallet blocks: 200.000 m<sup>3</sup>/year  
Pellets: 70.000 to/year  
Power plant: 75 Mio. kWh electricity

### 4 Ermelo

Pallet blocks: 360.000 m<sup>3</sup>/year

5

# PALLET BLOCKS

## MAIN FEATURES



## Material

The basic materials are natural coniferous and recycled timber chips. When the bonded chips are compressed under great pressure and high temperature, this produces a homogenous and high-quality wood material. Pallet blocks in connection with the advantages of boards out of waxed wood (bending and flexibility) result into palettes of high quality.

## Quality

**EUROBLOCK**-pallet blocks are manufactured according to stringent quality criteria and the production process is monitored by SGS Gottfeld NDT Services GmbH. As a result of their superior product and application features, **EUROBLOCK**-pallet blocks are approved by EPAL, major rental pools and many big end users.

## Export regulations

**EUROBLOCK**-pallet blocks are classed as „no-solid-wood“ and do not require any special handling. See information “no-solid-wood” at [www.euroblock.com](http://www.euroblock.com)



PEFC certified  
This product is from sustainably  
managed forests and controlled  
sources.  
[www.pefc.org](http://www.pefc.org)



PEFC certified and recycled  
This product is from sustainably  
managed forests, recycled and  
controlled sources.  
[www.pefc.org](http://www.pefc.org)

Presswood Int. BV

## Main features



- No splitting
- Low space requirement for storage
- Low needs for repairs



- High nail retention resistance
- Longer service life
- Constant quality



- Very good safety for automatic pallet production and in computer-controlled high bay shelving warehouses
- Ready for installation
- More efficient production
- No investment for cross-cutting and planing equipment
- No off-cuts, no waste



- No drying costs. Residual moisture content after production approx. 10%
- True to size with uniform moisture content
- Retains shape if the temperature fluctuates



- Environmentally friendly timber product of natural coniferous chips and old timber/ recycling material
- Contains no CFCs
- Biologically degradable



- “no-solid-wood” material according to international regulations for the treatment of timber packaging – ISPM15
- No SIREX treatment required
- No mould or insect damage



**EUROBLOCK**-pallet blocks made of wood chips – for pallets and timber packaging of all types.  
 Special heights of 60–120 mm on request.

Rectangular pallet blocks



LENGTH X WIDTH in mm	STANDARD-HEIGHT in mm	HOLE DRILLING in mm
100 x 145	78 / 75 / 90 / 95 / 100	
145 x 145	78 / 90 / 100	- / 40
(EUR) / EPAL	78	32
70 x 70	70 / 75 / 78 / 82 / 85 / 90 / 95	
75 x 75	75 / 78 / 85 / 90 / 95 / 100	
73 x 90	75 / 78	
75 x 95	75 / 78 / 90 / 95	
75 x 115	78 / 75 / 90 / 95	
75 x 133	78 / 75 / 90 / 95	18
78 x 78	75 / 78	
78 x 95	75 / 78 / 90 / 95 / 100	18
90 x 90	70 / 75 / 78 / 85 / 90 / 95 / 100	
78 x 98	90 / 95	18 / 20
78 x 118	90 / 95	18
78 x 133	90 / 95	- / 18 / 20
90 x 135	70 / 75 / 78 / 85 / 90 / 95 / 100	
93 x 115	78	26
95 x 95	75 / 78 / 90 / 95 / 100	- / 20
95 x 138	65 / 78 / 90 / 95	32
95 x 160	78 / 95	
135 x 135	78 / 90	32

CP pallet blocks



LENGTH X WIDTH in mm	STANDARD-HEIGHT in mm	HOLE DRILLING in mm
78 x 98	78 / 75	18 / 20
78 x 118	78 / 75	
78 x 133	78 / 75	


Paper pallet blocks



LENGTH X WIDTH in mm	STANDARD-HEIGHT in mm	HOLE DRILLING in mm
75 x 50	78 / 90 / 95	

How to read the dimensions correctly

78 x 98 x 78  
 Length      Width      Height



# PACKAGING TIMBER

## TYPES AND DIMENSIONS



### Delivery plant Unterbernbach

#### Spruce – Fir – Pine

fresh and kiln dried  
on request

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,50 – 5,00
16 x 70	2,50 – 5,00
16 x 90	2,50 – 5,00
17 x 78	2,50 – 5,00
17 x 98	2,50 – 5,00
17 x 115/135	2,50 – 5,00
18 x 89/130	2,50 – 5,00 *
18 x 140/160/180	2,50 – 5,00 *
21 x 95	2,50 – 5,00 *
22 x 100	2,50 – 5,00 *
22 x 145	2,50 – 5,00 *
25 x 100	2,50 – 5,00 *
75 x 90	2,50 – 5,00 *
76 x 96	2,50 – 5,00 *

### Delivery plant Uelzen

#### Pine

fresh and kiln dried  
on request  
Anti blue-stain treatment possible

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,00 – 2,40
14 x 70	2,00 – 2,40
15 x 75	2,00 – 2,40
17 x 78	2,00 – 2,40 *
17 x 98	2,00 – 2,40 *
17 x 118	2,00 – 2,40 *
17 x 133	2,00 – 2,40 *
22 x 78	2,00 – 2,40 *
22 x 98	2,00 – 2,40 *
22 x 143	2,00 – 2,40 *
22 x 200	2,00 – 2,40 *
76 x 76	2,00 – 2,40
78 x 98/143	2,00 – 2,40
90 x 90	2,00 – 2,40

### Delivery plant Lauterbach

#### Spruce – Fir – Pine

fresh and kiln dried  
on request  
Anti blue-stain treatment possible

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,00 – 5,00
14 x 75	2,00 – 5,00
14 x 95	2,00 – 5,00
17 x 78	2,00 – 5,00
17 x 98	2,00 – 5,00
17 x 115/133	2,00 – 5,00
22 x 100	2,00 – 5,00 *
22 x 120	2,00 – 5,00 *
22 x 145	2,00 – 5,00 *
25 x 100	2,00 – 5,00 *
75 x 95	2,00 – 5,00 *
78 x 78	2,00 – 5,00 *
78 x 98	2,00 – 5,00 *
96 x 96	2,00 – 5,00 *

\* KD possible

### Cut to size

Long goods or cut-to-size, e.g. 800/1000/1140/1200 etc.

Custom cuts such as 19 x 130 or 22 x 122 mm are available as are many other sizes.



## EUROBLOCK

Verpackungsholz GmbH

Mühlenstraße 7 · D-86556 Unterbernbach  
phone +49 8257 81-209 · fax +49 8257 81-221  
info@euroblock.com

## EUROBLOCK

Verpackungsholz GmbH

Lokhorstweg 13a · NL-3851 SE Ermelo  
phone +31 341 562 562 · fax +31 341 563 646  
verkoop@euroblock.nl

