



Formwork

Shuttering panels

pfeifergroup.com

FACTS



Capacity & capability

The Pfeifer shuttering panels are being produced according to the highest quality standard at three European locations. With a production capacity of approximately 7 million m², we are one of Europe's leading manufacturers. All types of shuttering panels are continuously in stock for optimized and short notice service for our customers.

Quality

Our internal quality control system ensures compliance with our high standards of quality.

Environment

We harvest our timber from sustainably managed forests (PEFC certified).^{*} The use of wood binds the harmful greenhouse-gas CO₂ long term and thus has a strong emission-reducing effect.

Logistics

Our products are available in more than 90 countries around the world, and we therefore have a well-established logistical network.

^{*}Only labeled products are PEFC certified

PHILOSOPHY

Shuttering panels have a long tradition in structured construction. The Pfeifer Group started producing shuttering panels in 1971. The possible applications range from slab formwork to wall, bridge and tunnel formwork, as well as working platforms. Our product range includes shuttering panels between 21 and 27 mm, and solid wood panels with 20 mm.



SHUTTERING PANELS



Features

- ≡ **Wood type: spruce / fir**
- ≡ **Exact fit and inherently stable**
- ≡ **Time and cost effective processing**
- ≡ **Long life span with proper treatment guaranteed**
- ≡ **Durable melamine resin surface treatment (only on three-ply-panels)**
- ≡ **Suitable for site use and stacking with supporting timber**
- ≡ **Water & weather resistant in accordance with EN 13353 (SWP/2)**
- ≡ **Produced in accordance with Austrian standard B 3023 three-ply concrete formwork panels**
- ≡ **Light weight**




The contents of this document have been prepared with the utmost care. However, despite all efforts and checks, mistakes and typographical errors may be possible as a result. The publisher accepts no liability for the accuracy, completeness or actuality of the information provided. In particular, technical changes and amendments to the product descriptions are reserved at all times. Any use or other application of this document without the express permission of the publisher is not permitted and can result in both civil and criminal proceedings.

FORMATS

Shuttering panels (21) with edge band

- Thickness: 21 mm
- Width: 500 mm
- Lengths: 1500 / 2000 / 2500 mm



Shuttering panels (21) with edge protection


Small formats with steel edge protectors

- Thickness: 21 mm
- Width: 500 mm
- Lengths: 1500 / 2000 / 2500 mm




Shuttering panels (27) without edge band (on request)

- Thickness: 27 mm
- Width: 500 mm
- Lengths: 1500 / 2000 / 2500 / 3000 mm




Shuttering panels (27) with edge band

- Thickness: 27 mm
- Width: 500 mm
- Lengths: 1000 / 1500 / 1970 / 2000 / 2500 / 3000 mm




Shuttering panels (27) Large formats

- Thickness: 27 mm
- Width: 1000 / 2000 mm
- Lengths: 1000 / 2000 / 2500 / 3000 / 4000 / 5000 mm




Formwork (27)

- Thickness: 27 mm
- Width: 200 / 250 / 300 / 350 / 400 mm
- Lengths: 3000 mm



Solid wood panels C20 with edge protection

- Thickness: 20 mm
- Width: 500 mm
- Lengths: 1500 / 2000 mm





PFEIFER TIMBER GMBH

Fabrikstraße 54 · A-6460 Imst

Tel.: +43 5412 6960 0

Fax: +43 5412 6960 200

info@pfeifergroup.com

From the heart of Europe
TO THE WHOLE WORLD



pfeifergroup.com